

BIO TECH



BEST OF NATURE



BIO & TECH



ROYAL JELLY



BLUEBERRY



DRAGON FRUIT



ACAI BERRY



ROYAL JELLY- ONE OF THE ACTIVE INGREDIENT:

It known as a nutritional powerhouse, it is a gift for fertility. Its antioxidant and anti-inflammatory properties help to prevent the cells of the reproductive system from being damaged. It contains phytoestrogens caused an increase in sperm count, maturation, motility and plasma testosterone levels, help to enhance sex energy power.



ACAI BERRY

It is rich vitamin A, B1, and E. It has a role in maintaining normal vision, skin, bones and muscles. It also helps in normal reproductive performance.



BLUEBERRY

Blueberry is a wonderful fruit of vitamins, minerals and antioxidants. Its health benefits are amazingly beneficial in reducing fats, chomping down on free radicals, combating negative metabolic issues and promoting improved insulin levels. It also contains Vitamin A, E, Iron, Calcium, Manganese, Zinc, Phosphorus and Selenium. Blueberry are placed among the top fruits and vegetables for nutrient density.



A wooden bowl filled with white dragon fruit cubes, each speckled with black seeds. The bowl is set against a background of pink dragon fruit slices.

BIO & TECH

DRAGON FRUIT

Dragon fruit, also known as Pitahaya or Strawberry Pear. It is high in Vitamin C and other antioxidants, which are good for our immune system. It is a low-calorie fruit that is high in fibre and provides a good amount of several vitamins and minerals, can be considered as a superfood.

BENEFIT OF BESTRON ROYAL JELLY

- ✓ Help to lower blood sugar & cholesterol level
- ✓ Help to balance the endocrine system
- ✓ Help to promote blood circulation
- ✓ Help to improve sleep and eliminate fatigue
- ✓ Help to enhance energy & stamina



15 sachets x 1.5g



**CERTIFIED BY MOH
OF MALAYSIA**



BAHAGIAN KESELAMATAN DAN KUALITI MAKANAN
(FOOD SAFETY AND QUALITY DIVISION)
KEMENTERIAN KESIHATAN MALAYSIA
(MINISTRY OF HEALTH MALAYSIA)
ARAS 4, MENARA PRISMA
NO. 26, JALAN PERSIARAN PERDANA
PRESINT 3, 62675 PUTRAJAYA

Tel : 803 - 8885 0797
Faks : 803 - 8885 0769
E-mail : fsq-division@moh.gov.my
http://fsq.moh.gov.my

Ruj. Kami : KKM.600-7/2/1 Jld. 423 (44)
Tarikh : 31 Mac 2022

Pengurus
Bio Tech Global Sdn. Bhd.
No. 90, 90-1, 90-2, Jalan Eco Cascadia 6/2
Taman Setia Eco Cascadia
81100 Johor Bahru
Johor

Tuan/Puan,

PERMOHONAN SEMAKAN PELABELAN MAKANAN
NAMA PRODUK: CAMPURAN MINUMAN BOTANI BUAH NAGA DENGAN BERI
ACAI & ROYAL JELLY
JENAMA: BESTRON
NO. PERMOHONAN: FLS0322161-0

Dengan hormatnya permohonan di atas adalah dirujuk.

2. Sukacita dimaklumkan bahawa Bahagian ini tiada halangan ke atas label produk di atas seperti yang dilampirkan bersama-sama surat ini. Pihak tuan/puan dinasihatkan agar menggunakan label yang dilampirkan sahaja bagi tujuan pasaran produk berkenaan di negara ini.

3. Adalah dimaklumkan bahawa semakan dan penilaian ke atas permohonan ini dibuat berdasarkan kepada maklumat dan dokumentasi yang dikemukakan oleh pihak tuan/puan. Sehubungan dengan itu, pihak tuan/puan adalah bertanggungjawab untuk memastikan produk tuan/puan mematuhi:

- 3.1 Peraturan 356, Peraturan-Peraturan Makanan 1985;
- 3.2 Peruntukan lain yang berkaitan di bawah Peraturan-Peraturan Makanan 1985.

(Sila catatkan rujukan surat ini apabila menjawab)



BIO TECH



SGS LABORATORY REPORT






**SHORT-TERM
PHYSICAL REACTION
AFTER TAKING
BESTRON ROYAL JELLY**

It lasts for a few days to one week. People may react differently to the same dosage



BODY TYPE: DAMP-HEAT CONSTITUTION

Feeling dizzy and headache, and may cause slightly sore throat. Advise drink plenty of water, eat less of foods that are heaty and greasy at the same time.





ACIDIC BODY

A dry throat, fatigue, general body weakness, frequent urination and gas.





HIGH URIC ACID LEVEL



Body aches or symptoms of edema. Advise to take it intermittently





HIGH BLOOD PRESSURE

Feeling dizzy or unsteady,
tight neck and shoulder
muscles for the 3 days are
common





DIABETES


It may cause unstable blood sugar level, for the first 3 days - 1 week are common.





KIDNEY DISEASE (DIALYSIS)

Advise reduce the dosage to $\frac{1}{3}$ sachet to avoid higher water intake on kidney





NOT SUITABLE FOR :

1. Pregnant and lactating woman, and woman during her menstruation period
2. Children under age of 12






HOW TO AVOID OR REDUCE THE SHORT-TERM UNCOMFORTABLE EFFECTS?

For first time, mix half sachet(50%) into 100ml of warm water, stir well drink it immediately. Encourage drink plenty of water to get better result.

50%



BIO  TECH

